

PARTS LIST INDEX

DESCRIPTION		PAGE NO.
FRAME, HITCH and LEVELLING CRANK		44
ROCKSHAFT and WHEEL		44
HYDRAULIC SYSTEM		45
GANG BEAM and STABILIZER BEAM		46 - 47
MODEL 4290 DISC GANG ASSEMBLY		48
MODEL 4300 DISC GANG ASSEMBLY		49
MODEL 4290 SCRAPER ASSEMBLY		50
MODEL 4300 SCRAPER ASSEMBLY		50
PAINT and DECALS		
PART NO.	DESCRIPTION	QTY. REQ'D
L001	EZEE-ON YELLOW - 1 Quart can	*
L002	EZEE-ON YELLOW - 1/2 pint	*
L010	EZEE-ON DECAL	*
	DANGER DECAL	1
	CAUTION DECAL	1

FRAME, HITCH, and LEVELING CRANK

ROCKSHAFT and WHEEL

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
1		Main Frame c/w 2 hinge bolts, washers, nuts, and gang pins - ref. #3, 4, 5, 6 and 7	1
2		Wing Frame c/w 2 gang pins - ref. #7	1
3		Hinge Bolt - 12-1/2" overall length	2
4		Rear Hinge Bolt Shim	1
5	DH3	Washer - 4" O.D. x 2" I.D.	2
6	DG82	2" N.C. Slotted Nut	2
7	DF37	Gang Beam Retainer Pin	4
8	DHB8554	Hitch c/w Pins and Crank Lug - ref. 16, 17, 19, 20, 22, 23, 25 and 27	1
9		Hose Support	1
10	DCA3	Crank - 33" Long	1
11	DC5187	Compression Spring - Leveling Crank - 5" Long	2
12	DC15	Thrust Bearing - Timken #T199	2
13	DCA5184	Bearing Tube - Leveling Crank	1
14	DH5	2" N.C. Heavy Hex Nut - drilled for set screw	1
15	DCA8577	Leveling Link - 29" Pipe Length	1
16	DH5146	Leveling Arm Lug	1
17		1/2" x 5" N.C. Hex Bolt	--
18	DR5215	1-1/4" x 4-3/4" Hex Bolt - special	--
19		5/8" N.C. Hex Nut	--
20		1/2" N.C. Hex Nut	1
21		1-1/4" N.C. Hex Nut	4
22		5/8" Lockwasher	1
23		1/2" Lockwasher	1
24		1-1/4" Lockwasher	--
25		5/16" x 1-3/4" Cotter Pin	4
26		3/16" x 1-1/4" Cotter Pin	2
27	DH8562	1-1/4" x 4-1/2" Hitch Pin	1
28		3/8" x 3" Cotter Pin	1
29	DHB5170	Hitch Jack	1

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
30		Main Frame Rockshaft	1
31		Wing Frame Rockshaft	1
32	DR8601-T	Rockshaft Bearing - Top	7
33	DR8601-B	Rockshaft Bearing - Bottom	7
34		618 Spindle - 14-1/2" Long	*
35		Grease Seal - NOK #AF7879E	*
36	DR122	Inner Cone Bearing #25580	*
37	DR120	Inner Cup #25520	*
38	DR118	Hub Cap	*
39	DRA9	Outer Cup - #LM48548	*
40	DR92	Outer Cone Bearing - #LM48548	*
41	DR91	2" O.D. x 1-1/16" I.D. x 1/8" Flatwasher	*
42		1" N.F. Hex Slotted Nut	*
43	DR110	Hub Cap	*
44	DR123	Wheel Rim - 15" x 8" - 6 Hole Rim 9.5L x 15 Tire of 11L x 15 Tire	*
45	DR127	9/16" x 1-1/8" N.C. Wheel Studs	*
46	DR125	3/4" x 6-1/2" Hex Bolt	4
47		3/4" Lockwasher	10
48		3/4" N.C. Hex Nut	10
49		5/8" N.C. Hex Nut	20
50		1/4" x 28 Grease Fitting	5
51	10GN1	5/8" Lockwasher	12
52		1-1/4" Ball Joint - Weld-On	1
53	DR5227	Hair Pin Cotter	1
54	DW5	3/16" x 1-1/4" Cotter Pin	1
55	CR50692	2" x 2-7/8" Rockshaft Bearing Shim	*

HYDRAULIC SYSTEM

REF. NO	PART NO.	DESCRIPTION	QTY REQ'D
1	214, 242	5" x 36" Wing Lift Cylinder	1
2	241	4" x 24" Rockshaft Cylinder	1
3		3/8" x 90 Degree Street Elbow - Steel	1
4		3/8" Male - Female Swivel Adapter c/w 1/16" orifice	1
5		3/8" x 90 Degree Swivel Street Elbow	1
6	DR5252	Cylinder Pin - 1-1/4" Diameter x 4-3/4" Long	6
7		1/2" x 198" Hose w/1/2" Ends	1
8		1/2" x 172" Hose w/1/2" Ends	1
9		3/8" x 3/8" Hose - one 3/8" end and one 1/2" end	1
10		3/8" x 279" Hose - one 3/8" end and one 1/2" end	1
11	DL5068	1/2" x 90 Degree Street Elbow - Steel	2
12		Spacer Washer - 1-9/32" I.D. x 2" O.D.	2
13		Clamp - 2 Hole - for 3/8" Hose	2
14		1/2" x 1" N.C. Hex Bolt	8
15		5/16" x 1-3/4" Cotter Pin	1
16	CR50711	Depth Control Collar - 1" Long	1
17	CR50712	Depth Control Collar - 1-1/2" Long	1
18	CR50713	Depth Control Collar - 1-3/4" Long	1
19	CR50717	Depth Control Collar - 4-1/4" Long	1
20		8-1/2" Depth Control Package - all of the above stop collars	1

FRONT GANG BEAMS - MODEL 4290 - 4300 REAR GANG BEAMS - MODEL 4290 - 4300

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D	
1	8" Spacing Model - 4290 Disc Only			
	DBS4-105	105" Gang Beam - 4" x 4" - 46 blade disc	2	
	DBS4-112	112" Gang Beam - 4" x 4" - 50 blade disc	2	
	DBS4-112	112" Gang Beam - 4" x 4" - 54 blade disc	2	
	DBS4-112	120" Gang Beam - 4" x 4" - 58 blade disc	2	
	DBS4-112	120" Gang Beam - 4" x 4" - 62 blade disc	2	
	DBS4-112	136" Gang Beam - 4" x 4" - 66 blade disc	2	
	DBS4-120	144" Gang Beam - 4" x 4" - 70 blade disc	2	
	DBS4-120	9" Spacing Model - 4290 Disc Only		
	DBS4-136	105" Gang Beam - 6" x 4" - 42 blade disc	2	
	DBS4-144	112" Gang Beam - 6" x 4" - 46 blade disc	2	
	DBS4-144	116" Gang Beam - 6" x 4" - 50 blade disc	2	
	DBS4-144	126" Gang Beam - 6" x 4" - 54 blade disc	2	
	DBS4-144	136" Gang Beam - 6" x 4" - 58 blade disc	2	
	DBS4-144	144" Gang Beam - 6" x 4" - 62 blade disc	2	
	DBS4-105	9" Spacing Model - 4300 Disc Only		
	DBS4-112	105" Gang Beam - 6" x 4" - 42 blade disc	2	
	DBS4-116	112" Gang Beam - 6" x 4" - 46 blade disc	2	
	DBS4-126	116" Gang Beam - 6" x 4" - 50 blade disc	2	
	DBS4-126	126" Gang Beam - 6" x 4" - 54 blade disc	2	
	DBS4-136	136" Gang Beam - 6" x 4" - 58 blade disc	2	
	DBS4-144	144" Gang Beam - 6" x 4" - 62 blade disc	2	
	DBS4-136	10-1/2" Spacing Model - 4300 Disc Only		
	DBS4-144	112" Gang Beam - 6" x 4" - 38 blade disc	2	
	DBS-105	112" Gang Beam - 6" x 4" - 42 blade disc	2	
	DBS-112	120" Gang Beam - 6" x 4" - 46 blade disc	2	
	DBS-112	136" Gang Beam - 6" x 4" - 50 blade disc	2	
	DBS-116	144" Gang Beam - 6" x 4" - 54 blade disc	2	
	DBS-126	12" Spacing Model - 4300 Disc Only		
	DBS-136	112" Gang Beam - 6" x 4" - 34 blade disc	2	
	DBS-144	112" Gang Beam - 6" x 4" - 38 blade disc	2	
	DBS-144	112" Gang Beam - 6" x 4" - 42 blade disc	2	
	DBS-112	120" Gang Beam - 6" x 4" - 46 blade disc	2	
	DBS-112	136" Gang Beam - 6" x 4" - 50 blade disc	2	
	DBS-112	144" Gang Beam - 6" x 4" - 54 blade disc	2	
	DBS-112	DBS-112		
	DBS-112	DBS-112		
	DBS-120	DBS-112		
	DBS-136	DBS-112		
	DBS-144	DBS-112		

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
2	8" Spacing Model - 4290 Disc Only		
	DBS4-105	105" Gang Beam - 4" x 4" - 46 blade disc	2
	DBS4-112	112" Gang Beam - 4" x 4" - 50 blade disc	2
	DBS4-120	112" Gang Beam - 4" x 4" - 54 blade disc	2
	DBS4-128	120" Gang Beam - 4" x 4" - 58 blade disc	2
	DBS4-136	120" Gang Beam - 4" x 4" - 62 blade disc	2
	DBS4-144	136" Gang Beam - 4" x 4" - 66 blade disc	2
	DBS4-152	144" Gang Beam - 4" x 4" - 70 blade disc	2
	9" Spacing Model - 4290 Disc Only		
	DBS4-105	105" Gang Beam - 4" x 4" - 42 blade disc	2
	DBS4-112	112" Gang Beam - 4" x 4" - 46 blade disc	2
	DBS4-116	116" Gang Beam - 4" x 4" - 50 blade disc	2
	DBS4-126	126" Gang Beam - 4" x 4" - 54 blade disc	2
	DBS4-136	136" Gang Beam - 4" x 4" - 58 blade disc	2
	DBS4-144	144" Gang Beam - 4" x 4" - 62 blade disc	2
	9" Spacing Model - 4300 Disc Only		
	DBS-105	105" Gang Beam - 6" x 4" - 42 blade disc	2
	DBS-112	112" Gang Beam - 6" x 4" - 46 blade disc	2
	DBS-116	116" Gang Beam - 6" x 4" - 50 blade disc	2
	DBS-126	126" Gang Beam - 6" x 4" - 54 blade disc	2
	DBS-136	136" Gang Beam - 6" x 4" - 58 blade disc	2
	DBS-144	144" Gang Beam - 4" x 4" - 62 blade disc	2
	10-1/2" Spacing Model - 4300 Disc Only		
	DBS-112	112" Gang Beam - 6" x 4" - 38 blade disc	2
	DBS-112	112" Gang Beam - 6" x 4" - 42 blade disc	2
	DBS-120	120" Gang Beam - 6" x 4" - 46 blade disc	2
	DBS-136	136" Gang Beam - 6" x 4" - 50 blade disc	2
	DBS-144	144" Gang Beam - 4" x 4" - 54 blade disc	2
	12" Spacing Model - 4300 Disc Only		
	DBS-112	112" Gang Beam - 6" x 4" - 34 blade disc	2
	DBS-112	112" Gang Beam - 6" x 4" - 38 blade disc	2
	DBS-112	112" Gang Beam - 6" x 4" - 42 blade disc	2
	DBS-120	120" Gang Beam - 6" x 4" - 46 blade disc	2
	DBS-136	136" Gang Beam - 6" x 4" - 50 blade disc	2

If disc is equipped with stabilizer beams. Order front gang beam 6" longer than length listed. This applies only to models with asterisk beside gang beam number.

GANG BEAMS - MODELS 4290 - 4300

REF. NO	PART NO.	DESCRIPTION	QTY REQ'D
5		Gang Beam Clamp Plate - Model 4290 Only	16
		Gang Beam Clamp Plate - Model 4300 Only	16
6	DG163	Front Gang Beam Shim - Model 4300 Only - used to prevent front gangs from ridging - Not Supplied as standard equipment	*
7		1-1/4" x 7-1/2" N.C. Hex Bolt	16
8		1-1/4" N.C. Hex Nut - All Models	16
9	DGA5348	Wrench for 1-1/4" Hex Bolts - All Models	2
10	DG	Handle Extension - for wrench	1
11	DGA8634	Front Gang Beam Shim - Model 4290 Only - used to prevent front gangs from ridging - Not Supplied as standard equipment	*

DISC GANG - MODEL 4290 DISC GANG - MODEL 4290

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D	REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D	
1	DG64	22" x 6mm (.236) plain disc blade	*	16	DGA66	Gang Bolt for 9" Spacing		
	DG60	22" x 7mm (.275) plain disc blade	*		DGA67	6 blade - 50-3/4" long	*	
	DG68	24" x 6mm (.236) plain disc blade	*		DGA68	7 blade - 60-1/2" long	*	
	DG76	24" x 7mm (.275) plain disc blade	*		DGA69	8 blade - 69-3/4" long	*	
	DG137	24" x 8mm (5/16) plain disc blade	*		DGA70	9 blade - 78-3/4" long	*	
2	DG61	22" x 7mm (.275) notched disc blade	*		DGA71	10 blade - 88-1/4" long	*	
	DG138	24" x 8mm (5/16) notched disc blade	*		DGA72	11 blade - 97-1/2" long	*	
3	DG84	16" x 4mm (.157) plain outrigger blade	*		DGA73	12 blade - 106-3/4" long	*	
	DG133	18" x 5mm (.197) plain outrigger blade	*		DGA74	13 blade - 115-3/4" long	*	
	DG134	20" x 5mm (.197) plain outrigger blade	*			14 blade - 125" long	*	
4	DG82	2" N.C. heavy hex slotted nut	*		17	DGA35	Socket Wrench	1
	DG89	1/4" x 2" I.D. shim washer	*			DG6080	5/8" x 4" x 5-7/16" long U-bolt - rigid hanger	*
5	DG88	1/2" x 2" I.D. shim washer	*		18	10GN1	1/4" x 28" Grease fitting	*
6	DG78	5" O.D. x 2" I.D. x 5/8" head washer	*				19	7/16" x 3" lock pin
7	DGA108	8" Spacing Short Half Spool - 2-3/8" long	*	20		1/2" x 2-1/4" N.C. Hex Bolt - 211 series bearings	*	
	DGA97	9" Spacing Short Half Spool - 3-1/4" long w/5" washer	*			5/8" x 2-1/4" N.C. Hex Bolt - 410 series bearings	*	
9	DGA102	8" and 9" Spacing Long Half Spool - 4-7/16" long	*	21		1/2" N.C. Hex Nut - for 211 series bearing	*	
	DGA113	8" Spacing Full Spool - 8" long	*			5/8" N.C. Hex Nut - for 410 series bearing	*	
10	DGA98	9" Spacing Full Spool w/5" end washers - 9" long	*	22		5/8" N.C. Hex Nut	*	
		211 Series Bearing Housing Only	*		23		1/2" Lockwasher - for 211 series bearing	*
12	DG95	211 Series Greaseable Bearing	*				5/8" Lockwasher - for 410 series bearing	*
	DG38	EZ410N Series Greaseable Bearing	*	24		5/8" Lockwasher	*	
13	DGB5334	211 Housing c/w bearing and grease fitting	*		25	DG10290	3/4" x 4" x 7" long U-bolt - stone flex hanger	*
	DGB5335	EZ410N Housing c/w bearing and grease fitting	*	DG8150		1-1/4" x 2" Spring Shank - stone flex hanger	*	
14	DGA6089	Front L.H., Rear R.H. straight bearing hanger - 211 series bearing	*	27	DGA8612	Scraper Bar Support Bracket - standard stone flex hanger	*	
	DGA6090	Front R.H., Rear L.H. straight bearing hanger - 211 series bearing	*				Scraper Bar Support Bracket - 2" offset stone flex hanger - front R.H. and rear L.H.	*
	DGA10280	Front L.H., Rear R.H. straight bearing hanger - 410 series bearing	*	28		Scraper Bar Support Bracket - 2" offset stone flex hanger - front L.H. and rear R.H.	*	
	DGA10281	Front R.H., Rear L.H. straight bearing hanger - 410 series bearing	*		29	DGA10295	Backing Plate for 3/4" U-bolt - stone flex hanger	*
	15	DGA86	Gang Bolt for 8" Spacing	*				L.H. Mounting Bracket for 211 series - stone flex hanger
DGA87		6 blade - 46" long	*				R.H. Mounting Bracket for 211 series - stone flex hanger	*
DGA88		7 blade - 54-1/2" long	*	31		DG5343	Mounting Plate for 214 series bearing - stone flex hanger	*
DGA89		8 blade - 62-3/4" long	*					Mounting Plate for 214 series bearing - stone flex hanger
DGA90		9 blade - 71" long	*	32		2" Offset Mounting Bracket for 211 series stone flex hanger - front R.H. and rear L.H.	*	
DGA92		10 blade - 79-1/2" long	*			2" Offset Mounting Bracket for 211 series stone flex hanger - front L.H. and rear R.H.	*	
DGA70		11 blade - 88-1/4" long	*			2" Offset Mounting Bracket for EZ410N series bearing	*	
DGA92		12 blade - 96" long	*		33		3/4" Lockwasher	*
DGA93		13 blade - 104-1/4" long	*				3/4" N.C. Hex Nut	*
DGA94		14 blade - 112-1/2" long	*			3/4" x 3-1/2" N.C. Hex bolt	*	
DGA95	15 blade - 121" long	*	36	DG236	211 Gang Bearing Shield	*		
				DG237	214 Gang Bearing Shield	*		
			37	DGA5370	5" O.D. x 2" I.D. washer - weld-on	*		

* as required

DISC GANG - MODEL 4300 DISC GANG - MODEL 4300 ONLY

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D	REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D				
1	DG60	22" x 7mm (.275) plain disc blade	*			Gang Bolt for 12" Spacing - includes washer	*				
	DG76	24" x 7mm (.275) plain disc blade	*								
	DG137	24" x 8mm (5/16) plain disc blade	*								
	DG74	26" x 8mm (5/16) plain disc blade	*								
		26" x 8mm (5/16) cone disc blade - rigid hanger	*								
2	DG61	22" x 7mm (.275) notched disc blade	*								
	DG138	24" x 8mm (.275) notched disc blade	*								
	DG75	26" x 8mm (5/16) notched disc blade	*								
	DG158	26" x 8mm (5/16) cone disc blade - rigid hanger	*								
								*			
3	DG133	18" x 5mm (.197) plain outrigger blade	*					16	DGA35	Socket Wrench	*
	DG134	20" x 5mm (.197) plain outrigger blade	*					17	DG5314	7/8" x 7" C.C. x 6-3/8" long U-bolt - standard hanger	*
	DG64	22" x 6mm (.236) plain outrigger blade	*					18	10GN1	1/4" x 28" Grease fitting	*
			19					7/16" x 3" lock pin		*	
4	DG82	2" N.C. heavy hex slotted nut	*					20		1/2" x 2" N.C. Hex Bolt - 211 series bearings	*
	DG89	1/4" x 2" I.D. shim washer	*			5/8" x 2-1/4" N.C. Hex Bolt - EZ410N series bearings	*				
5	DG88	1/2" x 2" I.D. shim washer	*	21		1/2" N.C. Hex Nut - for 211 series bearing	*				
6	DG78	5" O.D. x 2" I.D. x 5/8" head washer	*				5/8" N.C. Hex Nut - for EZ410N series bearing	*			
7	DGA106	9-1/2" Spacing Short Half Spool - 3-1/4" long w/6" washer - convex side	*	22		7/8" N.C. Hex Nut	*				
	DGA110	12" Spacing Short Half Spool - 4-3/4" long w/5" washer - convex side	*	23		1/2" Lockwasher - for 211 series bearing	*				
8	DGA102	8" and 9" Spacing Long Half Spool - 4-7/16" long - concave side	*				5/8" Lockwasher - for EZ410N series bearing	*			
	DGA103	9" Spacing Long Half Spool - 4-3/16" long - concave side	*	24		7/8" Lockwasher	*				
9	DGA104	10-1/2" Spacing Long Half Spool - 5-15/16" long - concave side	*	25	DGA5320	Front R.H., Rear L.H. 2" offset bearing hanger - 211 series bearing - 7/8" x 6" U-bolt	*				
	DGA105	10-1/2" and 12" Spacing Long Half Spool - 5-11/16" long - concave side	*		DGA5321	Front L.H., Rear R.H. 2" offset bearing hanger - 211 series bearing - 7/8" x 6" U-bolt	*				
10	DGA100	9" Spacing Full Spool - 6" diameter one end	*	DGA5322	Front R.H., Rear L.H. 2" offset bearing hanger - EZ410N series bearing - 7/8" x 6" U-bolt	*					
	DGA101	10-1/2" Spacing Full Spool - 6" diameter both ends	*	DGA5323	Front L.H., Rear R.H. 2" offset bearing hanger - EZ410N series bearing - 7/8" x 6" U-bolt	*					
11	DGA111	12" Spacing Full Spool - 6" diameter both ends	*	26	DG5325	7/8" U-bolt x 7" C.C. x 7-5/8" long - stone flex hanger	*				
					DG5313	Spring Shank - 1-1/4" x 2-1/2" - stone flex hanger	*				
12	DG95	211 Series Bearing Housing Only	*	DGA5328	Backing Plate - stone flex hanger	*					
	DG38	EZ410N Series Bearing Housing Only	*	27	DGA5333	Scrap Bar Support Bracket - standard stone flex hanger - 10-1/2" and 12" spacing	*				
DGB5334	211 Series Greaseable Bearing	*	28		DGA5336	Scrap Bar Support Bracket - 2" offset stone flex hanger - front L.H. and rear R.H.	*				
13	DGB5335	EZ410N Series Greaseable Bearing	*	DGA5337	Scrap Bar Support Bracket - 2" offset stone flex hanger - front R.H. and rear L.H.	*					
				29	DG237	L.H. Mounting Bracket for 211 series - stone flex hanger	*				
14		211 Housing c/w bearing and grease fitting	*		30	DGA5370	R.H. Mounting Bracket for 211 series - stone flex hanger	*			
		EZ410N Housing c/w bearing and grease fitting	*	31		1-1/2" Offset Mounting Bracket for 211 series stone flex hanger - L.H.	*				
	DGA5315	Front L.H., Rear R.H. straight bearing hanger - 211 series bearing	*	32		1-1/2" Offset Mounting Bracket for 211 series stone flex hanger - R.H.	*				
	DGA5317	Front R.H., Rear L.H. straight bearing hanger - 211 series bearing	*				2" Offset Mounting Bracket for 211 series stone flex hanger -L.H.	*			
	DGA5318	Front L.H., Rear R.H. straight bearing hanger - EZ410N series bearing	*			2" Offset Mounting Bracket for 211 series stone flex hanger -R.H.	*				
	DGA5319	Front R.H., Rear L.H. straight bearing hanger - EZ410N series bearing	*	33		1-1/2" Offset Mounting Bracket for EZ410N series bearing	*				
							2" Offset Mounting Bracket for EZ410N series bearing	*			
			Gang Bolt for 9" Spacing	*	34		1/2" x 2-1/4" N.C. Hex bolt - 211 series bearing	*			
	DGA66	6 blade - 52" long	*				5/8" x 2-1/4" N.C. Hex bolt - EZ410N series bearing	*			
	DGA67	7 blade - 61-3/4" long	*	35		3/4" Lockwasher	*				
	DGA68	8 blade - 71" long	*				3/4" N.C. Hex Nut	*			
	DGA69	9 blade - 80" long	*	36		3/4" x 3-1/2" N.C. Hex bolt	*				
	DGA70	10 blade - 89-1/2" long	*				211 Gang Bearing Shield	*			
	DGA71	11 blade - 98-3/4" long	*	37		214 Gang Bearing Shield	*				
DGA72	12 blade - 108" long	*				5" O.D. x 2" I.D. weld-on washer - supplied not welded to gang bolt	*				
DGA73	13 blade - 117-1/2" long	*									
DGA74	14 blade - 126-1/2" long	*									
		Gang Bolt for 10-1/2" Spacing - includes washer	*								
DGA79	9 blade - 92" long	*									
DGA80	10 blade - 103" long	*									
DGA81	11 blade - 113-3/4" long	*									
DGA82	12 blade - 124-3/4" long	*									
DGA83	13 blade - 135-1/2" long	*									
DGA84	14 blade - 146-1/2" long	*									

* as required

SCRAPER ASSEMBLY - MODEL 4290 SCRAPER ASSEMBLY - MODEL 4300

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D	
1	DG5300	Scraper - Front L.H. & Rear R.H. - used with 5/8" x 6" hanger	*	
	DG5301	Scraper - Front R.H. & Rear L.H. - used with 5/8" x 6" hanger	*	
		Scraper Bars for 8" Spacing		
2	DS45	6 Blade - 49"	*	
	DS52	7 Blade - 57-1/2"	*	
	DS64	8 Blade - 65-1/2"	*	
	DS60	9 Blade - 73-1/2"	*	
	DS73	10 Blade - 82"	*	
	DS82	11 Blade - 90"	*	
	DS78	12 Blade - 99"	*	
	DS92	13 Blade - 107"	*	
	DS88	14 Blade - 115-1/2"	*	
			15 Blade - 123"	*
			Scraper Bars for 9" Spacing	
	3	DS110	6 Blade - 55"	*
		DS107	7 Blade - 64"	*
		DS115	8 Blade - 73-1/2"	*
		DS129	9 Blade - 82"	*
DS41		10 Blade - 92"	*	
DS36		11 Blade - 101-1/2"	*	
DS52		12 Blade - 110"	*	
DS58		13 Blade - 120"	*	
DS82		14 Blade - 129-1/2"	*	
4		DS105	1/2" x 2-9/16" long U-bolt	*
5	DS127	5/8" x 2-11/16" long U-bolt	*	
6	DS149	1/2" N.C. Hex Nut	*	
7	DS32	5/8" N.C. Hex Nut	*	
8	DS45	1/2" Lockwasher	*	
9	DS66	5/8" Lockwasher	*	

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
1	DG5300	Scraper - Front L.H. & Rear R.H. - used with 5/8" x 6" hanger	*
	DG5301	Scraper - Front R.H. & Rear L.H. - used with 5/8" x 6" hanger	*
	DG5304	Scraper - Front L.H. & Rear R.H. - for cone blades only	*
	DG5305	Scraper - Front R.H. & Rear L.H. - for cone blades only	*
		Scraper Bars for 9" Spacing	
2	DS45	6 Blade -	*
	DS52	7 Blade -	*
	DS64	8 Blade -	*
	DS60	9 Blade -	*
	DS73	10 Blade -	*
	DS82	11 Blade -	*
	DS78	12 Blade -	*
	DS92	13 Blade -	*
	DS88	14 Blade -	*
			Scraper Bars for 10-1/2" Spacing
3	DS110	9 Blade -	*
	DS107	10 Blade -	*
	DS115	11 Blade -	*
	DS129	12 Blade -	*
	DS41	13 Blade -	*
	DS36	14 Blade -	*
		Scraper Bars for 12" Spacing	
4	DS52	6 Blade -	*
	DS58	7 Blade -	*
	DS82	8 Blade -	*
		9 Blade -	*
		10 Blade -	*
		11 Blade -	*
		12 Blade -	*
5	DS105	1/2" x 2-9/16" long U-bolt	*
6	DS127	5/8" x 2-11/16" long U-bolt	*
7	DS149	1/2" N.C. Hex Nut	*
8	DS32	5/8" N.C. Hex Nut	*
9	DS45	1/2" Lockwasher	*
10	DS66	5/8" Lockwasher	*